



Lerner Theatre

410 S Main St. Elkhart, IN 46516

tech@thlerner.com

Technical Info

Stage Height

42" from auditorium floor

Proscenium Opening

43'Wide x 26'High

Depth

Plaster to Upstage Wall 26'

Plaster to apron 3'SR & SL-5' Center Stage

7' orchestra pit can be elevated to stage height. (measurement to center of radius)

Wing Space

16' (SL to fly rail locks) 19' (SR)

Number of Line Sets

30 (see table below)

Grid Height

65'

Batten Travel Height

4' to 55' Truss Battens

Power

200A Audio Company Switch SR US Stage Level

400A Company Switch SR US Stage Level

2- 400A Company Switches SR one on Gallery 31' from stage floor (hoist available to load gear to this level) and one in dimmer room next to gallery

100A Company Switch on Grid

All Company Switches include Cam Locks & Lugs

60A 480V disconnect on Grid

Orchestra Pit

7'x 41' Hydraulic lift from basement to 1' above stage height

11'X 45' Floor space when in Orchestra Position

Weight Limit on Stage

125 lbs/sq.ft

Load in Access

Loading Garage located SR with 16' OH door onto SR wing. Truck Dock with 8' OH door to loading garage 8'W x 9'6"H


Double doors at service entrance directly to service elevator also connected to Loading Garage

Double doors upstage directly to alley 7'6"W x 9'6"H

Projection

17'x 28' Screen with digital Projector. Blue Ray, DVD, component, s-video, PC inputs available in Tech Booth.

House Audio

The Lerner is proud to be powered by 

Soundcraft VI5000 Console 128 Input w/Dante for multitracking

10 JBL 4887 per side Line array -pairs of 2 powered by 5-Crown 4x3500HD amps

4 AC18/26 Available as Front Fill (upon request)

8 channel Shure Axient Wireless system: handheld and body packs

AKG D5, D40, C430, C411, C519 ML, CK31, and AKG Drum mic kit

Shure 3-SM58s, 2-SM57s, 1-Beta52

Decibel Level Limits

The Decibel Limits are controlled by the type of show and/or music and under the discretion of the theatre manager. The comfort and return of our patrons is our highest priority.

Monitor Rig

Soundcraft SI Impact 24 fader/ 80 Ch./ 14 auxes

5 Crown XTI 4000

48 x 8 ch. Whirlwind Split Snake (passive)

6 VRX 915M

2 SRX 718

Lighting

Ion Xe-20 Console

5 Mac 2000 Profile 1

6 Mac 500

4 Tracker 575Spot

19 Elation Opti Quad Pars

248 2.4k Dimmers (Strand)

108 5-37 deg Ellipsoidal

12 8" 1000W Fresnel

18 Par64 1K

20 Source4 Pars

10 Triple Cyc Lights

4 Super trooper Follow Spots

2 Antari Fazers

1 Antari HZ-500 Hazer

Dressing Rooms

1. Basement SR 20'x17'

2. Basement SR 20'x14'

3. Basement Under Stage 16'x24'

4. Basement Under Stage 20'x24'

5. Crew Room/ Catering - Basement SR 18'x20'

6. Laundry/ Wardrobe - Basement Under Stage 12'x16'

7. Green Room - SR 16'x18'

8. Kitchen - SR 9'x14' (attached to green room)

Rooms 1-4 & 7 have Restroom and Shower in each.

Properties

60 Music Stands

60 LED Music Stand Lights

68 Black Vinyl Chairs

1 Lectern

2 Table Lecterns

Marley 27' x 50'

12 4x8 risers with stairs

Pianos

Kawai 6.5' Grand Black

Wardrobe

5 Wardrobe Carts

2 Washer

2 Dryers

Laundry sink (used for Laundry uses only)

1 gal Steamer

2 Irons and ironing boards

Lineset Schedule (call to confirm)

Lineset #	Distance from Plaster Line	Description	Lineset Capacity	Batten Length	Material	Size	Color	Fullness
DV	(1' 4")	Decorative Valance			20 oz. Velour	1pc 12'x43'	Red	100%
SCR	(1')	Movie Screen	Roll up			18'x28'		
-	0' 0"	Plaster Line						
FC	0' 3"	Fire Curtain		46'				
1	1' 0"	Front Valance	2000 lbs	61' 0" Truss	25 oz. Velour	1pc 8'x60'	Red	50%
2	1' 6"	Front Traveler	2000 lbs	61' 0" Truss	25 oz. Velour	2pcs 28'x31'6"	Red	50%
3	2' 0"	General Purpose	2000 lbs	61' 0" Truss				
4	2' 6"	General Purpose	2000 lbs	61' 0" Truss				
5	3' 6"	1st Electric	2000 lbs	61' 0" Truss				
6	4' 6"	General Purpose	2000 lbs	61' 0" Truss				
7	5' 0"	Legs #1	2000 lbs	61' 0" Truss	20 oz. Velour	2pcs 28'x16'	Black	50%
8	6' 6"	Border #1	2400 lbs	61' 0" Truss	20 oz. Velour	1pc 10'x60'	Black	Flat
9	8' 0"	General Purpose	2000 lbs	61' 0" Truss				
10	9' 0"	General Purpose	2000 lbs	61' 0" Truss				
11	10' 0"	Border #2	2000 lbs	61' 0" Truss	20 oz. Velour	1pc 10'x60'	Black	Flat
12	10' 6"	Legs #2	2000 lbs	61' 0" Truss	20 oz. Velour	2pcs 28'x16'	Black	50%
13	11' 6"	2nd Electric	2000 lbs	61' 0" Truss				
14	12' 6"	General Purpose	2000 lbs	61' 0" Truss				
15	13' 6"	General Purpose	2000 lbs	61' 0" Truss				
16	14' 6"	B.O./Border # 3	2000 lbs	61' 0" Truss	20 oz. Velour	1pc 28'x60'	Black	Flat
17	15' 0"	Legs #3	2000 lbs	61' 0" Truss	20 oz. Velour	2pcs 28'x16'	Black	50%
18	16' 0"	3 rd Electric	2400 lbs	61' 0" Truss				
19	17' 6"	18 Par64s	2000 lbs	61' 0" Truss				
20	18' 0"	General Purpose	2000 lbs	61' 0" Truss				
21	19' 0"	General Purpose	2000 lbs	61' 0" Truss				
22	20' 0"	Border # 4	2000 lbs	61' 0" Truss	20 oz. Velour	1pc 10'x60'	Black	Flat
23	20' 6"	Legs # 4	2000 lbs	61' 0" Truss	20 oz. Velour	2pcs 28'x16'	Black	50%
24	21' 0"	5 th Elec - Movers	2000 lbs	61' 0" Truss				
25	22' 6"	Cyc Electric	2000 lbs	61' 0" Truss				
26	23' 6"	General Purpose	2000 lbs	61' 0" Truss				
27	24' 0"	General Purpose	2000 lbs	61' 0" Truss				
28	24' 6"	General Purpose	2000 lbs	61' 0" Truss				
29	25' 0"	B.O./Border #5	2000 lbs	61' 0" Truss	20 oz. Velour	1pc 28'x60'	Black	Flat
30	26' 0"	Cyc	2000 lbs	61' 0" Truss	Scenery Duck	1pc 32'x60'	White	Flat

POLICIES AND PROCEDURES

Animals

Except for guide dogs for the visually impaired and working dogs, animals are not permitted in the auditorium, lobbies, on the stage, or any other areas within the Lerner without written permission.

Backstage catering

Please coordinate backstage catering with the Lerner Theatre General Manager.

Broadcast

Advance approval and fees required for recording or broadcasting any performance, lecture, concert and/or public or private meeting by radio or television.

Concessions

No sales, authorization of sales, or distribution of food items, merchandise, or special services are allowed without prior written approval from the Lerner Management.

Flammable material & Pyrotechnics

The use of stage pyrotechnics or open flames requires advance notification and written approval of the Stage Manager and the Elkhart Fire Marshall.

Public Safety

Placing items in corridors or blocking emergency exits or obstructing any portion of the sidewalks, entries, halls, elevators, or ways of access to the public utilities of the building is prohibited.

Smoking

The Lerner is a non-smoking facility include electronic smoking devices.

Stage and Backstage Areas

At no time are members of the public to come on stage without the approval and supervision of the Tech Coordinator. Backstage visitors and guests must be approved by the Lerner. Approved guests of visiting artists or the Lerner must enter the backstage areas through the Stage Door or be accompanied by a member of the Lerner staff.

Tech Director

The Lerner's Tech Director is responsible for all stage and backstage areas and operations, and is the final authority on all theater practices. Safety is always of paramount importance.



Bus and Truck Dock on concrete.

Buses back in and load into the US door as seen in photo.

Directions to the Lerner

From: [Exit 92 80/90 Toll Rd.](#)

Turn left at Cassopolis St

Turn right at E Bristol St

Take the 1st left onto N Main St

Turn right at Washington St

Take the 2nd left onto N 3rd St

Turn left at W Franklin St

Arriving at E Franklin St

Total: 4.7 mi - about 13 mins

To: [The Lerner Loading Dock](#)