



The Lerner Theatre

410 S Main St. Elkhart, IN 46516

Technical Information - 2024

Updated: 2024-04-25

STAGE MEASUREMENTS

Stage Height	42" from auditorium floor
Proscenium Opening	43' wide x 26' high
Stage Depth	Plaster Line to Upstage Wall 26' Front of Pit to Upstage Wall 39'
Apron (when pit is at stage level)	11' x 45' curved apron in front of proscenium
Wing space	15' Stage Left, 19' Stage Right
Orchestra Pit	7' x 41' Hydraulic Lift from basement to 1' above stage height
Front Of House – rear of main floor	10'x20'
Balcony Overhang	35' from rear of room
Spot Booth to Proscenium	115'
FOH to Lip of Apron	75'
FOH to Proscenium	85'
Snake run from FOH to Stage – SL or SR	125'
Weight Limit on Stage	125 lbs/sq ft
Weight Limit on Pit	Lifting Max Capacity 11,950lb Static Max Capacity 29,875lb
Load In Access	Truck Dock with 8' overhead door to loading garage directly adjacent to SR wing. Double doors on upstage wall directly to alley 7'6" w x 9'6" h. Trailers can load in directly. Freight elevator with access to all levels.

AUDIO

Audio Console	Soundcraft Vi5000
House Audio	Line Array: (12) JBL 4887A per side Amps: (6) Crown 4x3500HD
	Front Fills: (4) JBL VRX928LA Amp: Crown iTech 5000HD
	Under Balcony Delays: (6) JBL VRX928LA Amp: Crown iTech 5000HD
	Subs: (4) JBL SRX728 Amps: (2) Crown iTech 9000HD
Microphones	Wireless System: 12 channel Shure Axient AKG: D5, D40, C430, C411, C519 ML, CK31, and AKG Drum mic kit Shure: (6) SM58s, (8) SM57s, (1) Beta52, (1) Beta91A
Monitor Rig	Allen & Heath SQ-7 48-channel console (4) Crown XTi4000 amps (6) VRX 915M passive monitors (2) SRX 718 powered monitors (2) SRX 700 drum subs 48x8 Whirlwind Split Snake (passive) Sub-Snakes: (1) 8 in/4 out, (1) 12 in/4 out, (1) 16 in/4 out
Decibel Level Limit	104dB limit – set for architectural safety.

STAGE POWER

Company Switches (include cam locks & lugs)	200A Audio Company Switch – Upstage Right 400A Lighting Company Switch – Upstage Right (2) 200A Company Switches – Stage Right Pin Rail 100A Company Switch - Grid
--	---

Updated: 2024-04-25

LIGHTING AND PROJECTION

Lighting Console	Ion Xe-20 Console with fader wing
Intelligent	(11) X-Black Pro XB600 Profile (11) Chauvet Rogue RX2 Wash (4) Elation Chorus Line 8
LED	(18) Elation Opti Quad Par (7) Altman Spectra Cyc 200 (4) Elation CUEPIX WW2 Crowd Blinders
Conventional	(60) ETC Source Four (30) Source Four PAR
Hazers	Antari HZ-500 Oil-Based Hazer Ultratec Radiance Water-Based Hazer
Follow Spots	(4) Xenon Super Trouper
Clear-Com	Stations at FOH, Stage Left and Right, Spot Booth
Projection	203"x350" (17'x29') Da-Lite Series 300 Movie Screen – line set 4 NEC 10K digital projector - mounted on balcony rail

RIGGING

Grid Height	65' walkable grid
Mid Bridge Gallery Floor – SR & SL	31' above deck
Single Purchase Fly System	Rail Stage Left
Battens	60' long, truss battens
Number of Line Sets	30
Batten Travel Height	4' to 55'

HOUSE SEATING CAPACITY

Main Floor	945
Balcony	684
Box Seats – 2 boxes each side	24
Seated Pit	61
GA Standing Room Only Pit	475
Total without pit	1653
Total with seated pit	1714
Total with GA Standing Room Only Pit	1933

FACILITIES

Dressing Rooms (all have restroom/showers)	DR1 – Basement SR 13’x20’ DR2 – Basement SR 18’x20’ DR3 – Basement Under Stage 15’x24’ DR4 – Basement Under Stage 19’x24’ Green Room – Main Level 15’x17’
Catering	In basement near dressing rooms.
Promoter Office Space	In basement near Dressing Room 3
Laundry – Dressing Room 3/4 Hallway	2 washers, 2 dryers, steamer, iron/ironing board
Piano – Stage	Kawai KG-6C 7’4” Grand - Black
Piano – 2 nd Floor	Steinway M Grand 5’7” - Brown
Stage Risers	(12) 8’x8’ risers Leg heights available: 6”, 12”, 24”

Line Set Schedule (call to confirm)

Line set #	From Plaster Line	Description	Line set Capacity	Batten Length	Material	Size	Color	Fullness
DV	(1' 4")	Decorative Valance			20 oz. Velour	1pc 12'x43'	Red	100%
SCR	(1')	Screen	Roll up			18'x28'		
-	0' 0"	Plaster Line						
FC	0' 3"	Fire Curtain		46'				
1	1' 0"	Front Valance	2000 lbs.	61' 0" Truss	25 oz. Velour	1pc 8'x60'	Red	50%
2	1' 6"	Front Traveler	2000 lbs.	61' 0" Truss	25 oz. Velour	2pcs 28'x31'6"	Red	50%
3	2' 0"	General Purpose	2000 lbs.	61' 0" Truss				
4	2' 6"	Movie Screen	2000 lbs.	61' 0" Truss		15'9x28'		
5	3' 6"	1st Electric	2000 lbs.	61' 0" Truss				
6	4' 6"	General Purpose	2000 lbs.	61' 0" Truss				
7	5' 0"	Legs #1	2000 lbs.	61' 0" Truss	20 oz. Velour	2pcs 28'x16'	Black	50%
8	6' 6"	Border #1	2400 lbs.	61' 0" Truss	20 oz. Velour	1pc 10'x60'	Black	Flat
9	8' 0"	General Purpose	2000 lbs.	61' 0" Truss				
10	9' 0"	General Purpose	2000 lbs.	61' 0" Truss				
11	10' 0"	Border #2	2000 lbs.	61' 0" Truss	20 oz. Velour	1pc 10'x60'	Black	Flat
12	10' 6"	Legs #2	2000 lbs.	61' 0" Truss	20 oz. Velour	2pcs 28'x16'	Black	50%
13	11' 6"	2nd Electric	2000 lbs.	61' 0" Truss				
14	12' 6"	General Purpose	2000 lbs.	61' 0" Truss				
15	13' 6"	General Purpose	2000 lbs.	61' 0" Truss				
16	14' 6"	B.O./Border # 3	2000 lbs.	61' 0" Truss	20 oz. Velour	1pc 28'x60'	Black	Flat
17	15' 0"	Legs #3	2000 lbs.	61' 0" Truss	20 oz. Velour	2pcs 28'x16'	Black	50%
18	16' 0"	3 ^d Electric	2400 lbs.	61' 0" Truss				
19	17' 6"	4 th Electric	2000 lbs.	61' 0" Truss				
20	18' 0"	5 th Electric	2000 lbs.	61' 0" Truss				
21	19' 0"	Border # 4	2000 lbs.	61' 0" Truss	20 oz. Velour	1pc 10'x60'	Black	Flat
22	20' 0"	Legs #4	2000 lbs.	61' 0" Truss	20 oz. Velour	2pcs 28'x16'	Black	50%
23	20' 6"	6 th Electric	2000 lbs.	61' 0" Truss				
24	21' 0"	7 th Electric	2000 lbs.	61' 0" Truss				
25	22' 6"	General Purpose	2000 lbs.	61' 0" Truss				
26	23' 6"	General Purpose	2000 lbs.	61' 0" Truss				
27	24' 0"	General Purpose	2000 lbs.	61' 0" Truss				
28	24' 6"	General Purpose	2000 lbs.	61' 0" Truss				
29	25' 0"	B.O./Border #5	2000 lbs.	61' 0" Truss	20 oz. Velour	1pc 28'x60'	Black	Flat
30	26' 0"	Cyc	2000 lbs.	61' 0" Truss	Scenery Duck	1pc 32'x60'	White	Flat

POLICIES AND PROCEDURES

Animals

Except for guide dogs for the visually impaired and working dogs, animals are not permitted in the auditorium, lobbies, on the stage, or any other areas within The Lerner without written permission.

Backstage catering

Please coordinate backstage catering with The Lerner Theatre Director of Events.

Broadcast

Advance approval and fees required for recording or broadcasting any performance, lecture, concert and/or public or private meeting by radio or television.

Concessions

No sales, authorization of sales, or distribution of food items, merchandise, or special services are allowed without prior written approval from The Lerner Management.

Flammable material & Pyrotechnics

The use of stage pyrotechnics or open flames requires advance notification and written approval of the Tech Director and the Elkhart Fire Marshal.

Public Safety

Placing items in corridors or blocking emergency exits or obstructing any portion of the sidewalks, entries, halls, elevators, or ways of access to the public utilities of the building is prohibited.

Smoking

The Lerner is a non-smoking facility, including electronic smoking devices. Any modification to the smoking policy needs permission of the Lerner Theatre Executive Director prior to load-in.

Stage and Backstage Areas


At no time are members of the public to come on stage without the approval of Lerner Management. Backstage visitors and guests must be approved by The Lerner. Approved guests of visiting artists or the Lerner must be accompanied by a member of the artist's staff or Lerner staff.

Tech Director


The Lerner's Tech Director is responsible for all stage and backstage areas and operations and is the final authority on all theater practices. Safety is always of paramount importance.

Security


The Lerner's dressing rooms, and stage access doors are all equipped with a keypad lock system. Codes will be sent out prior to the performance to tour management. Any special requests should go through The Lerner's Tech Director.



Updated: 2024-04-25



PARKING



Buses back in and load into the upstage door as seen in photo.
Shore power is in the truck dock's SW corner.
The adjacent parking lot is private unless otherwise noted.